

## *Anti-CCKA receptor*

*(CCK1 receptor)*

### Product Information:

---

|                       |   |
|-----------------------|---|
| 1) <b>Catalog #:</b>  | MSFR100720  |
| <b>Item Name:</b>     | CCKA (CCK1) receptor pAb (Rb) 20ug                |
| <b>Size :</b>         | 20µg (affinity-purified with antigen polypeptide) |
| <b>Species :</b>      | Rabbit  |
| <b>Product Code :</b> | CCKAR-Rb-Af260                                    |
| <b>RRID :</b>         | AB_2571673  |
| 2) <b>Catalog #:</b>  | MSFR100730  |
| <b>Item Name:</b>     | CCKA (CCK1) receptor pAb (Rb) 50ug                |
| <b>Size :</b>         | 50µg (affinity-purified with antigen polypeptide) |
| <b>Species :</b>      | Rabbit  |
| <b>Product Code :</b> | CCKAR-Rb-Af260                                    |
| <b>RRID :</b>         | AB_2571673  |

---

**Formulation** : Liquid ; 200 µg/ml in PBS with 0.05% NaN<sub>3</sub>.  
(affinity-purified with antigen polypeptide)

**Storage** : Store at cool temp. (2-10°C)

The antibody can be stored at 2-10°C. The antibody can be also aliquoted and stored at -80°C for long-term storage. Avoid repeated freeze-thawing. Non-hazardous. No MSDS required.


**Species** : rabbit, polyclonal

**Antigen** : mouse, CCKAR 422-436 aa  
(C-terminal 15 amino acids; NM\_009827)

**Specificity** : mouse (others not tested)

The specificity is verified by blank immunohistochemistry in the pancreas and brain of CCKAR-knockout mouse. No cross reactivity to CCKBR is confirmed by the lack of immunoblot and immunocytochemical labeling with HEK293T cells expressing CCK2R or CCKBR.

### CCKAR in the pancreas



ご注意 : 本商品には 0.1 % 未満のアジ化ナトリウムが入っています。 誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

**Applications** : In general, affinity-purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry. The most appropriate concentration should be determined by users, because it depends on contents in given cells, tissues and organs.

**Research Use** : For research use only, not for use in diagnostic procedures.

**Remarks** :

**Reference** : Konno K, Takahashi-Iwanaga H, Uchigashima M, Miyasaka K, Funakoshi A, Watanabe M, Iwanaga T. Cellular and subcellular localization of cholecystokinin (CCK)-1 receptors in the pancreas, gallbladder, and stomach of mice. **Histochem Cell Biol.** 143:301-312, 2015.

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD  
TEL : +81-(0)3-4582-5451  
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD