

Anti-GFAP

(glial fibrillary acidic protein)

Code Number : GFAP-Rb-Af800 (rabbit, RRID : AB_2571707)
: GFAP-Go-Af1000 (goat, RRID : AB_2571708)
: GFAP-GP-Af210 (guinea pig, RRID : AB_2571709)

Size : 20µg and 50µg / See label on vial
(affinity-purified with antigen polypeptide)

Formulation : Liquid ; 200 µg/ml in PBS with 0.05% NaN₃.
(affinity-purified with antigen polypeptide)

Storage : Store at cool temp. (2-10°C)



The antibody can be stored at 2-10°C. The antibody can be also aliquotted and stored at -80°C for long-term storage. Avoid repeated freeze-thawing. Non-hazardrous. No MSDS required.

Species : rabbit / guinea pig / goat, polyclonal

Antigen : mouse GFAP, 335-400 aa (AF332061)

Specificity : mouse (others not tested)

Immunoblot detects a single protein band at 44 kDa. This selectively stains astrocytes in culture and in the brain.



Applications : In general, affinity-purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry. The most appropriate concentration should be

ご注意 : 本商品には 0.1 % 未満のアジ化ナトリウムが入っています。 誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD
TEL : +81-(0)3-4582-5451
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD

determined by users, because it depends on contents in given cells, tissues and organs.

Research Use : For research use only, not for use in diagnostic procedures.

Remarks :

Reference : Hisano K, Watanabe M, Morimoto Y: Protective effects of free radical scavenger eddaravone against glutamate neurotoxicity in nearly pure neuronal culture. **J Anesth.**,23:363-369, 2009.

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD
TEL : +81-(0)3-4582-5451
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD