

Anti-GIRK3

(**Kir3.3** ; G-protein-coupled inward rectifier potassium channel-3)

Code Number : GIRK3-Rb-Af750 (rabbit, RRID : AB_2571714)

Size : 20 µg and 50 µg / See label on vial
 (affinity-purified with antigen polypeptide)

Formulation : Liquid ; 200 µg/ml in PBS with 0.05% NaN₃.

Storage : Store at cool temp. (2-10°C)


The antibody can be stored at 2-10°C. The antibody can be also aliquotted and stored at -80°C for long-term storage. Avoid repeated freeze-thawing. Non-hazardrous. No MSDS required.

Species : rabbit, polyclonal

Antigen : mouse GIRK3 C-terminal 32 aa
 (358-389aa; DEKVEEEGAGEGAGAGD
 GADKEHNGCLPPPES; AF130860)

Specificity : mouse (others not tested)

Immunoblot detects a single band at ~45 kDa. All immunohistochemical staining disappear in GIRK3-KO cerebellum and hippocampus.



Applications : In general, affinity-purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry. The most appropriate concentration should be determined by users, because it depends on contents in given cells, tissues and organs.

Research Use : For research use only, not for use in diagnostic procedures.

Remarks :

Reference : 1) Aguado C, Colón J, Ciruela F, Schlaudraff F, Cabañero MJ, Perry C, Watanabe M, Liss B, Wickman K, Luján R. Cell type-specific subunit composition of G-protein-gated potassium channels in the cerebellum. *J Neurochem.* 105:497-511, 2008

ご注意 : 本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD
 TEL : +81-(0)3-4582-5451
 email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD

2) The above pictures are provided from Dr. Rafael Lujan in Universidad de Castilla-La Mancha, Spain.

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD
TEL : +81-(0)3-4582-5451
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD