

Anti-MAP2

(microtubule-associated protein-2)

Product Information:

1) Catalog #:	MSFR103800
Item Name:	MAP2 pAb (Go) 20ug
Size :	20µg (affinity-purified with antigen polypeptide)
Species :	Goat
Product Code :	MAP2-Go-Af860
RRID :	AB_2571793
2) Catalog #:	MSFR103810
Item Name:	MAP2 pAb (Go) 50ug
Size :	50µg (affinity-purified with antigen polypeptide)
Species :	Goat
Product Code :	MAP2-Go-Af860
RRID :	AB_2571793

Formulation : Liquid ; 200 µg/ml in PBS with 0.05% NaN₃.

Storage : Store at cool temp. (2-10°C)


The antibody can be stored at cool temp (2-10°C). The antibody can be also aliquoted and stored at -80°C for long-term storage. Avoid repeated freeze-thawing. Non-hazardous. No MSDS required.

Species : goat, polyclonal

Antigen : mouse MAP2, 927-1104 aa
(NM008632),

Specificity : mouse (others not tested)

This selectively stains perikarya and dendrites of various neurons.



Applications : In general, affinity-purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry. The most appropriate concentration should be determined by users, because it depends on contents in given cells, tissues and organs.

Research Use : For research use only, not for use in diagnostic procedures.

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Remarks :

Reference : 1) Miura, E., Fukaya, M., Sato, T., Sugihara, K., Asano, M., Yoshioka, K., Watanabe, M. (2006) Expression and distribution of JNK/SAPK-associated scaffold protein JSAP1 in developing and adult mouse brain. J. Neurochem. 97:1431-1446.
2) Tachikawa, M., Fukaya, M., Terasaki, T., Ohtsuki, S., Watanabe, M. (2004) Distinct cellular expressions of creatine synthetic enzyme GAMT and creatine kinases uCK-Mi and CK-B suggest novel neuron-glia relationship for brain energy homeostasis. Eur. J. Neurosci., 20:144-160.
3) Yoshida, T., Fukaya, M., Uchigashima, M., Kamiya, H., Kano, M., Watanabe, M. (2006) Localization of diacylglycerol lipase- α around postsynaptic spine suggests close proximity between production site of an endocannabinoid, 2-arachidonoyl-glycerol, and presynaptic cannabinoid CB1 receptor. J. Neurosci. 26: 4740-4751.

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD
TEL : +81-(0)3-4582-5451
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD