

## *Anti-SgII*

*(secretogranin II, Chromogranin C)*

**Code Number** : SgII-Rb-Af630 (rabbit, RRID : AB\_2571837)  
                  : SgII-GP-Af750 (guinea pig, RRID : AB\_2571838)

**Size** : 20 µg and 50 µg / See label on vial  
(affinity-purified with antigen polypeptide)

**Formulation** : Liquid ; 200 µg/ml in PBS with 0.05% NaN<sub>3</sub>.

**Storage** : Store at cool temp (2-10°C).


The antibody can be stored at 2-10°C. The antibody can be also aliquotted and stored at -80°C for long-term storage. Avoid repeated freeze-thawing. Non-hazardrous. No MSDS required.

**Species** : rabbit / guinea pig, polyclonal

**Antigen** : mouse SgII, 532-577aa (AAH48249)

**Specificity** : mouse (others not tested)

Immunoblot detects protein bands at 84 and 86 kDa.



**Applications** : In general, affinity-purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry. The most appropriate concentration should be determined by users, because it depends on contents in given cells, tissues and organs.

**Research Use** : For research use only, not for use in diagnostic procedures.

**Remarks** : If you have no preference for species, rabbit SgII antibody is better to choose,

ご注意 : 本商品には 0.1 % 未満のアジ化ナトリウムが入っています。 誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD  
TEL : +81-(0)3-4582-5451  
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD

although the specificity is the same.

**Reference** : Miyazaki T, Yamasaki M, Uchigashima M, Matsushima A, Watanabe M (2011)  
Cellular expression and subcellular localization of secretogranin II in the mouse hippocampus  
and cerebellum. **Eur J Neurosci.** 33:82-94

ご注意：本商品には 0.1 % 未満のアジ化ナトリウムが入っています。誤って目や口に入ったり、皮膚に付着した場合は大量の水で洗い流してください。

Distributor : NITTOBO MEDICAL CO., LTD  
TEL : +81-(0)3-4582-5451  
email : nmd-tokuhan@nittobogrp.com

Manufacture : FRONTIER INSTITUTE CO., LTD